


No. 006



Drunkard's Star

12" Finished Block



A Quilt Block by The Retro Quilter,
Maude MacDonald

www.theretroquilter.com

About the Designer

Hi! I'm Maude, a quilter, designer and maker. I live in beautiful Niagara Region, Ontario, Canada with my husband and our two children. I love everything quilting and everything vintage, so typically if I'm not sewing you could safely bet I'm thrifting.

Happy sewing, Quilty Friend!




Getting Started

1. Please read through all instructions of pattern before starting.
2. RST = Right Sides Together.
3. All seams are $\frac{1}{4}$ " and no scant is needed.
4. When cutting templates, cut directly on the black line.
5. For pattern corrections, email maude@theretroquilter.com.

Cutting Instructions

Cut (4) $4\frac{1}{2}$ " x $4\frac{1}{2}$ " squares of Fabric A and cut (1) $4\frac{1}{2}$ " x $4\frac{1}{2}$ " square of Fabric B and put aside.

Cut (4) $4\frac{3}{4}$ " x $4\frac{3}{4}$ " squares each of Fabrics A and B. Sub cut Fabric A squares using Template A. Sub cut Fabric B squares using Template B. Discard any fabric not under templates.




Please post on social media using #theretroquilterpatterns and #drunkardsstarblock

For more Retro Quilty Goodness, go to www.theretroquilter.com

Block Construction

1. Find the middle of your Fabric A and Fabric B pieces along the curve and crease. Align creases together with both curves facing outward and Fabric B on top. Pin at crease. (Image 1)



2. Take Fabric B left end and bring it to Fabric A end so that straight edges are flush. Pin. Do the same for the right side. (Image 2)




3. Sew along curved edge. Repeat Steps 1 and 2 with remaining (3) Fabric A and B pieces, to create a total of (4) Drunkard's Path blocks. Press all blocks as desired.


4. Trim all (4) Drunkard's Path blocks to 4½" x 4½" if needed, along Fabric A side, indicated by the red line. (Image 3)



5. Lay out block as shown in Image 4 using (4) Drunkard's Path blocks and the (5) 4½" x 4½" squares that were put aside. (Image 4)



6. Sew rows together. (Image 5)



7. Press seams as desired. (Image 6)



Templates

